


TRAYLINERS



Anti Slip Design

Features & Benefits:

- Anti slip design stops your load from shifting. The special raised nipple under surface allows air and water to circulate, which helps eliminate rust.
- Super tough material made from natural rubber with fibre reinforcement. Won't tear, crack or warp.
- Resistant to most chemicals and liquids. Will keep its shape in extreme temperatures and UV stabilised
- Removes quickly for easy cleaning. Cut to fit your utilities interior, easy to install with no fastening.

| Part no. | Description | Weight |
|----------|---|--------|
| TL213152 | UNI TRAY LINER MAT 2130 x 1520MM (7x5) | 25KG |
| TL244152 | UNI TRAY LINER MAT 2440 x 1530MM (8x5) | 26.5KG |
| TL244183 | UNI TRAY LINER MAT 2440 x 1830MM (8x6) | 33.5KG |
| TL305152 | UNI TRAY LINER MAT 3050 x 1520MM (10x5) | 37KG |
| TL305183 | UNI TRAY LINER MAT 3050 x 1830MM (10x6) | 43KG |

CHECKER PLATE RUBBER



Features & Benefits

- Checker Plate anti slip rubber matting is designed for use in commercial and industrial locations, ideal for floor covering, use on ramps or cut to size.
- Matting is oil and spill resistant and features anti slip qualities.
- Hard wearing natural rubber, easy to clean and maintain and available in different width sizes.
- UV Stabilised Styrene Butadiene Rubber.
- Rolled in PVC wrapper and packed in protective outer rice bag.

Technical Specifications:

Elongation 250%

Specific Gravity 1.60/cm³

Tensile Strength 5 Mpa


Hardness 70 Shore A

Heat Resistance 25/35

Compression 50

| Part no | Item | Width | Hight | Length | Weight |
|---------|---------------|--------|-------|--------|----------|
| SGCP1 | Checker Plate | 1.0mtr | 3mm | 10mtr | 45.00kg |
| SGCP2 | Checker Plate | 1.2mtr | 3mm | 10mtr | 60.00kg |
| SGCP3 | Checker Plate | 1.5mtr | 3mm | 10mtr | 70.00kg |
| SGCP4 | Checker Plate | 1.5mtr | 5mm | 10mtr | 109.00kg |

PYRAMID ROLL RUBBER



Features & Benefits


- Pyramid anti slip roll rubber matting is designed for use in commercial industrial & or residential locations, ideal for a floor covering, use on ramps/steps or cut to size.
- Matting is oil and spill resistant and features action back anti slip qualities.
- Hard wearing natural rubber, UV Stabilised and easy to cut and clean.
- Rolled in PVC wrapper and packed in protective rice bag.

Technical Specifications:

Elongation 350%
Specific Gravity 1.59/cm³
Tensile Strength 4 Mpa
Hardness 70 Shore A

| Part no | Item | Width | Height | Length | Weight |
|---------|---------------------|--------|--------|--------|--------|
| SGPYR | Pyramid roll rubber | 1.0mtr | 4.5mm | 10mtr | 48kg |

ROLL RUBBER MATTING



Features & Benefits

- Fine and Big rib anti slip rubber matting is designed for use in commercial and industrial locations, ideal for floor covering, use on ramps or cut to size.
- Matting is oil and spill resistant and features anti slip qualities.
- Hard wearing natural rubber, easy to clean and maintain and available in different width sizes.
- UV Stabilised Styrene Butadiene Rubber.
- Rolled in PVC wrapper and packed in protective outer rice bag.

Technical Specifications:

Elongation 250%

Specific Gravity 1.60/cm³

Tensile Strength 5 Mpa

Hardness 70 Shore A

Heat Resistance 25/35

Compression 50



BIG RIB RUBBER



FINE RIB RUBBER

| Part no | Item | Width | Hight | Length | Weight |
|---------|----------|---------|-------|--------|----------|
| SGBR1 | Big Rib | 1.0mtr | 3.5mm | 10mtr | 48.00kg |
| SGBR2 | Big Rib | 1.5mtr | 3.5mm | 10mtr | 75.00kg |
| SGBR3 | Big Rib | 2.0mtr | 3.5mm | 10mtr | 96.00kg |
| SGBR4 | Big Rib | 1.83mtr | 3.5mm | 10mtr | 85.00kg |
| SGBR5 | Big Rib | 1.5mtr | 5.0mm | 10mtr | 109.00kg |
| SGBR6 | Big Rib | 1.83mtr | 5.0mm | 10mtr | 127.00kg |
| SGFR1 | Fine Rib | 1.0mtr | 3.5mm | 10mtr | 46.00kg |
| SGFR2 | Fine Rib | 1.5mtr | 3.5mm | 10mtr | 72.00kg |
| SGFR3 | Fine Rib | 2.0mtr | 3.5mm | 10mtr | 92.00kg |